Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	100750	bus with line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 15:45
S2	4719	(address or identity or id) with acquisition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:04
S3.	136	S1 same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 15:48
S4	11	S3 and (order near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 15:53
S5	126	S1 and S2 and (order near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 15:49
S6	871	identif\$7 with (device or unit or element or chip) with ((circuit or mother) near3 board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:01
S7	4	(different with bus with line with permutation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:01
S8	5	((address or identity or id or configuration) with (mode or phase)) and (bus near3 (line or signal or bit) near3 permutation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:10
S9	356	710/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:46

S10	0	S9 and (bus near3 (line or signal or bit) near3 permutation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:46
S11	O	S6 and (bus near3 (line or signal or bit) near3 permutation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:47
S12	2	S6 and ((line or signal or bit) near3 permutation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:47
S13	2664	711/1,2,3,4,5,6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:46
S14	1308	(look\$up near2 (table or list)) with (id or address or identity) with (device or peripheral or element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:57
S15	660	S14 and ((bus or address) near3 (line or bit or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:06
S16	211	S15 and (address near3 (acquisition or determin\$6 or configr\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:08
S17	275	S15 and (address near3 (acquisition or determin\$6 or configr\$7 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:53
S18	3	S17 and (swap\$5 near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:51
S19	75083	(address near3 (acquisition or determin\$6 or configr\$7 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:54

S20	4193	S19 same ((order\$4 or position or invert\$4 or interchang\$4 or swap\$4 or manipulat\$4) near3 (bit or byte or signal or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:55
S21	1732	\$19 with ((order\$4 or position or invert\$4 or interchang\$4 or swap\$4 or manipulat\$4) near3 (bit or byte or signal or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:59
S22	908	S21 and (chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:01
S23	69	S21 same (chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:09
S24	544	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with (request\$4 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:23
S25	451	S24 and (multiple or plurality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:10
S26	166	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) adj6 (request\$4 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:17
S27	51	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 (request\$4 near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:35
S28	63086	(ID or identity or address) near3 (acquisition or acquir\$4 or obtain\$4 or get\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:35
S29	57926	(ID or identity or address) near3 (acquisition or acquir\$4 or obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:35

S30	21	S29 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 (request\$4 near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:58
S31	0	S29 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 (retriv\$4 near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:59
S32	16	S29 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:14
S33	539	S29 and ((device or peripheral or element or unit) with ((send\$4 or transmit\$4 or transf\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 18:26
S34	539	S29 and ((device or peripheral or element or unit or FPGA) with ((send\$4 or transmit\$4 or transf\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 18:26
S35	2	("6161213").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 15:14
S36	3025	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with (bus or line) with connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:42
S37	1544	(IC or (integrated near circuit)) with (bus or line) with connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:42
S38	39	S36 with (mux or multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:59